

Annexure 6 , Kitchen Equipments

IIITB KITCHEN EQUIPMENTS							
S No	Area	Description of items	Overall size/ capacity	U/s* Under shelves	OHS** Overhe ad shelves	Qty	Remarks
1	Wet Store	Weighing scale - electronic	100 kgs	--	--	1	Working Condition
2		Storage rack-in SS , 5 tier	44"x22"x72"	--	--	1	Good Condition
3		SS Vegetable storage rack - 4 tier with detachable baskets of 6"ht,	44"x22"x72"	--	--	3	Good Condition
4		Onion storage bins on wheels -with SS mesh	48"x30"x34"	--	--	1	Good Condition
5		Potato storage bins on wheels -with SS mesh	48"x30"x34"	--	--	1	Good Condition
6	Dry Store	Dry storage rack -in SS, 5 tier	44"x22"x72"	--	--	8	Good Condition
7		Pallets -in PVC	48"x30"x6"	--	--	8	Good Condition
8		Atta/maida/sugar bins on wheels -SS	18"x18"x30"	--	--	4	Good Condition
9	Cold Room	Cold room with refrigerator - Blue Star.	16'0"x16'0"x8'	--	--	1	Good Condition
10		Storage rack-in SS , 5 tier	44"x22"x72"	--	--	10	Good Condition
11	Pre Preparation area	Work table in SS with sink having rear splash guard of 6" , sink size 18"x18"x12"deep (incl. taps & fittings)	72"x24"x(34"+18")	1	1	2	Good Condition
12		Work table-in SS	72"x24"x(34"+18")	1	1	1	Good Condition
13		Storage rack-in SS , 5 tier	44"x22"x72"	--	--	2	Good Condition
14		SS garbage bin trolley with 1 door, chute cut out, mounted on Ø4"wheel, all 4 swivelling	18"x18"x30"	--	--	2	Good Condition & WE ARE NOT USING
15	Wet Processing area	Dough kneader - SS bowl, 1hp, 3 phase motor,	15 kgs dry atta	--	--	1	Good Condition
16		Wet Grinder -tilting type, SS body 1.5hp, 3 phase motor	10 ltrs	--	--	1	Good Condition
17		Wet grinder-stonetype, SS body 1hp, 3 phase motor	5 ltrs	--	--	1	Good Condition

Annexure 6 , Kitchen Equipments

S No	Area	Description of items	Overall size/ capacity	U/s* Under shelves	OHS** Overhe ad shelves	Qty	Remarks
18		Potato peeler alu body with 0.5 hp, single phase motor	8 kgs/charge	--	--	1	Good Condition
19	Steam Cooking area	Zero pressure non IBR Steam Generator - (LPG opr)necessary fittings & accessories.	80kgs/hr	--	--	1	NOT WORKING/ & purchased new steam boiler
20		Rice Steam cooker (SS with SS lid) having drain valve & tilting facility	100 ltrs	--	--	2	working
21		Sambar Steam cooker (SS with SS lid) mounted on SS stand, having drain valve & tilting facility	100 ltrs	--	--	1	working
22		Multi purpose steam cooker with a detachable inner vessel with SS lid, mounted on SS tubular stand	100 ltrs	--	--	1	working
23		SS idly plant, double walled insulation-steam opr, w/m	120 idlies	--	--	1	not operational
24		Work table for idly having 1x10 ltrs SS cont- ainer &lids for batter& rear splash guard 6"	44"x36"x(34"+6")	1	--	1	Good Condition
25		Pot Wash area	SS Pot rack - 4 tier, horizontals shall be out of ¾"x16SWG &1"sq.pipes as outer frame verticals out of 1¼"sq pipes	60"x24"x72"	--	--	1
26	Hot Kitchen area	Hot plate for dosa/chapathi with top out of 20 mm thick MS plate with necessary burner & fittings	72"x32"x(34"+6")	--	--	2	Good Condition
27		Indian cooking range-2 burner,with 2 cast iron grids -16"x16",having pilot controls, HP/LP burners-LPG opr	48"x24"x27"	--	--	2	Good Condition
28		Single stock pot burner with 1 cast iron grid of 18"x18", LPG opr	30"x30"x27"	--	--	4	Good Condition
29		Shallow fryer with MS kadai of 10ltrs.LPG opr with rear & side splash guard	24"x24"x(34"+6")	--	--	2	2nos Scrap condition
30		Dosa batter table having 3x15 ltrs with SS container & lids for the batter	41"x15"x34"	1	--	1	Good Condition
31		Work table -in SS	72"x24"x(34"+18")	1	1	5	Good Condition
32		Storage rack-in SS , 5 tier	44"x22"x72"	--	--	2	2 nos tuckstop

Annexure 6 , Kitchen Equipments

S No	Area	Description of items	Overall size/ capacity	U/s* Under shelves	OHS** Overhe ad shelves	Qty	Remarks
33		Tilting frying pan 40 ltrs capacity with gear tilting arrangement – LPG operated	20"x18"x12"	--	--	1	NOT WORKING
34		SS work table with sink unit with rear splash guard of 6", sink size 18"x18"x12" deep (incl. taps & fittings)	72"x24"x(34"+18"+12")	1	2	1	Not Good Condition & Tap not fitted properly
35	Chapathi section	Work table with granite top of 20mm thk	60"x24"x34"	1	--	1	good condition
36	Tandoor section	SS tandoor coal operated with top aperture of 14", with heavy duty wheels	36"x36"x34"	--	--	2	good condition
37		Rumali tawa with MS kadai of 10 ltrs -LPG opr	24"x24"x34"	--	--	1	Scrap condition
38		Work table with granite top of 20mm thk	72"x24"x34"	1	--	1	good condition
39	Food stores	SS food storage rack- 5 tier	44"x22"x72"	--	--	1	Good Condition
40		SS food storage table	72"x24"x34"	1	--	1	Good Condition
41		SS work table with sink unit with rear splash guard of 6", sink size 18"x18"x12" deep (incl. taps & fittings)	72"x24"x(34"+18"+12")	1	2	1	Good Condition
42	Exhaust Systems	Centrifugal blower to handle 23600 CMH of air, direct driven	10 hp, 3 phase	--	--	2	Good Condition
43		Centrifugal blower to handle 6100 CMH of air @ pantry	3 hp, 3 phase	--	--	1	Good Condition
44	Gas Bank	Gas bank: with necessary regulator clamps, etc	(6x2)cylinders manifolds	--	--	1	Good Condition
45		Empty Gas cylinders	Commercial type	--	--	12	9 available out of 12
46	Steam line	SS Steam line with steam trap along with SS ball valve controls. The steam lines horizontal headers shall be out of 1"SS, the vertical feeders drops shall be out of 3/4"/1"SS pipes	aprox. 50ft**	--	--	50	working
FOOD SERVICE AREA @ FIRST FLOOR							

Annexure 6 , Kitchen Equipments

S No	Area	Description of items	Overall size/ capacity	U/s* Under shelves	OHS** Overhe ad shelves	Qty	Remarks
47		SS hot bain marie/service counter having 8x1/1x150mm deep gastronome containers,3 sides covered with a tray slider, acrylic sneeze guard.The unit is electrically opr with 6 kw heating elements thermostatically controlled, uprights out of dia 1.5"x16SWG SS tubes.	9'6"x(27"+12") x(34"+18")	1	1	3	good condition
48		Salad counter (ambient)with 2 SS trays of each 18"x18"x2"ht- front side covered	44"x20"x34"	2	--	3	Good Condition
49		SS plate counter - front side covered	72"x24"x34"	1	--	2	Good Condition
50		SS water dispensor (ambient)	200 ltrs	--	--	2	Good Condition
51		SS tumbler rack - 5 tier	22"x15"x72"	--	--	2	Good Condition
XVII		<u>DISH WASH SECTION – I (Manual)</u>					
52		SS Soiled dish landing manual conveyor to move used plates to dish wash area gravity based.The roller of the conveyor is fabricated out of dia 32x16SWG SStubes,while75x2mm thick SS flat shall act as the retainer cum guide. A clear gap of 32mm shall be maintained b/w each roller.The conveyor shall be grouted to the floor by using clamps out of 50x5mm SS flat at an regular interval of 4ft.	72"x16"	--	--	1	Good Condition RUNNING FASTLY
53		Soiled dish landing table with chute cut out & having a rear splash guard of 6".	48"x24"x(34"+ 6")	--	--	1	Good Condition
54		Soiled dish landing table without chute cut out & having a rear splash guard of 6".	48"x24"x(34"+ 6")	--	--	RO	
55		Sink -3 sink unit having rear splash guard of 6", with sink size as 18"x18"x12"deep(incl. taps & fittings)	72"x24"x(34"+ 6")	--	--	1	Good Condition
56		Storage rack-in SS , 5 tier	44"x22"x72"	--	--	2	Good Condition
57		<u>DISH WASH SECTION -II (Machine)</u>					

Annexure 6 , Kitchen Equipments

S No	Area	Description of items	Overall size/ capacity	U/s* Under shelves	OHS** Overhe ad shelves	Qty	Remarks
58		SS Soiled dish landing manual conveyor to move used plates to dish wash area gravity based.The roller of the conveyor is fabricated out of dia 32x16SWG SStubes,while75x2mm thick SS flat shall act as the retainer cum guide. A clear gap of 32mm shall be maintained b/w each roller.The conveyor shall be grouted to the floor by using clamps out of 50x5mm SS flat at an regular interval of 4ft.	72"x16"	--	--	1	Good Condition
59		SS garbage bin trolley with 1 door,chute cut out,mounted on Ø4"wheel,all 4 swivelling	18"x18"x30"	--	--	1	Good Condition
60		Loading table with sink, with a rear splash guard of 6", sink size 18"x18"x12"deep	44"x24"x(34"+6")	--	--	1	Good Condition
61		Dish washing machine-conveyor model plates/hr=2340-3660,with accessories plate basket,cutlerybasket,emergency off switch etc (with drying zone and plate baskets 4 nos. and cutlery baskets 4nos. Winter Halter German make .STR 155.)	model KM 200,Meiko make	--	--	1	Good Condition
62		Unloading table -in SS	36"x24"x34"	--	--	1	Good Condition
63		Storage rack-in SS , 5 tier	44"x22"x72"	--	--	2	Good Condition
		<u>PANTRY AREA</u>					
64		Chapathi with top out of 20 mm thick MS plate with necessary burner & fittings	42"x32"x(34"+6")	--	--	1	Good Condition
65		Indian cooking range-2 burner,with 2 cast iron grids -16"x16",having pilot controls, HP/LP burners-LPG opr	48"x24"x27"	--	--	1	Good Condition
		<u>EXHAUST SYSTEM - III @ PANTRY</u>					
66		SS hoods &filters (detachable type) fabricated out of 20SWG 202 grade sheet	10'0"x42"x20"	--	--	1	GOOD CONDITION
67		GI ducting fabricated out of 22/24SWG GI sheet with rubber gaskets & clamps	aprox.600sft** (140ft)	--	--	140	GOOD CONDITION
68		<u>UTILITIES - TROLLEYS</u>					

Annexure 6 , Kitchen Equipments

S No	Area	Description of items	Overall size/ capacity	U/s* Under shelves	OHS** Overhe ad shelves	Qty	Remarks
69		MS platform trolley	36"x24"x36"	--	--	1	GOOD CONDITION
70		SS platform trolley for food transport	36"x24"x36"	--	--	1	GOOD CONDITION
71		Soiled dish trolley with garbage bin - 3 tier	48"x18"x36"	--	--	2	GOOD CONDITION
72		Cleaned dish trolley - 4 tier to bring cleaned dishes from dish washing section to food service/pantry	36"x27"x36"	--	--	1	GOOD CONDITION
		<u>DRAIN COVER</u>					
73		SS Detachable Drain Cover of width 12" guided between SS angle of size 32x32x3mm 304grade SS which is grouted to the floor.The detachable drain cover is fabricated having 25x25x3mm 304grade SS,as side member& inverted U channels of size 25x25 mm out of 16SWG 304 grade SS placed crosswise with a clear gap of 25mm between inverted channels.	aprox150ft**	--	--	150	GOOD CONDITION
XXIII		<u>FRESH AIR SYSTEM</u>					
74		Centrifugal blower to handle 32700 CMH of air, direct driven	10 hp,3 phase	--	--	1	GOOD CONDITION
75		GI louvers of size out of 22 SWG sheet (8'x6')	aprox. 48 sft*	--	--	48	GOOD CONDITION
76		HDPE filters with 20 microns pores	24"x24"x2"	--	--	12	GOOD CONDITION
77		GI hopper assemblyfabricated out of 18swg to house the above mentioned quantity of louvers &HDPE filters which are connected to the blower	lumpsum	--	--	--	
78		GI ducting fabricated out of 22/24SWG GI sheet with rubber gaskets & clamps	aprx 900sft**	--	--	900	GOOD CONDITION

Annexure 6 , Kitchen Equipments

S No	Area	Description of items	Overall size/ capacity	U/s* Under shelves	OHS** Overhe ad shelves	Qty	Remarks
79		Supply air grills - aluminum powder coated	300x125	--	--	19	GOOD CONDITION
80		Blower accessories & mountings	-----	--	--	--	
81		Exhaust Hood Installation&Eraction Charges	As per site Condition				
		<u>Additional Items</u>					
82		20 Ltr tilting grinder (PO#121/19-20)				1	GOOD CONDITION
83		MOPTro - U Electric Trolley (PO#97/20-21)				1	GOOD CONDITION
84		Pulverizer (PO#262/21-22)	Make: Kitchen Whiz / Model: P3HP			1	Purchased new
85		Coconut Scraper (PO#262/21-22)	Make: Kitchen Whiz / Model: PR4T12005401 600			1	Purchased new
86		Vegetable Cutting Machine (PO#262/21-22)	Make: Sirman / Model: 6 Blades			1	Purchased new
87		Chest Freezer Make: Haier / Model: HCC-230HC (PO#262/21-22)	Make: Haier / Model: HCC- 230HC 940 (W) x 560 (D) x 845 (H)			2	Purchased new
88		Tilting Grinder Make: Sahith / Model:TL15L (PO#262/21-22)	15 ltr			1	Purchased new
89		Instant Grinder (PO#262/21-22)	Make: Kitchen Whiz / Model:IG Kiran 7"			1	Purchased new

Annexure 6 , Kitchen Equipments

S No	Area	Description of items	Overall size/ capacity	U/s* Under shelves	OHS** Overhe ad shelves	Qty	Remarks
90		Bain Marie (G N Pans 1/1x 150 6 no Extra) (PO#262/21-22)	Make: Kitchen Whiz / Model:BMGNP 1/1			2	Purchased new
91		Work Table with C/B (Make: Kitchen Whiz / Model:WTCB800700850) (PO#262/21-22)	800 (W) x 700 (D) x 850 (H)			1	Purchased new
92		Idly Steamer Box Make: Kitchen Whiz / Model:WTCB800700850 (PO#262/21-22)	180 No Of Idly				Purchased new
93	food court	Single Burner Range Make: Kitchen Whiz / Model:SUR750750850 (PO#262/21-22)	750 (W) x 750 (D) x 850 (H)			2	Purchased new
94	food court	Spoon Sterlizer (Make: Kitchen Whiz / Model:SUR750750850) (PO#262/21-22)				3	Purchased new
95	food court	Conveyer Toaster (100 - 150 Slices per hour) Make: Akasa / Model:CT-150 (PO#262/21-22)				2	Purchased new
96	food court	Dosa Hot Plate Brand : Valinor Hot Plate Size : 1200*600 Dim : 1200*600*850mm Tawa Thickness : 25mm SS 304 Grade Top (PO#312/22-23)				1	Purchased new
97	food court	Conveyor Toaster Make: Hotmax / Model: HET 450				2	po#122/23- 24
98	food court	Bain Marie with (1/1 x 150 - 6 Nos)				1	po#122/23- 24
99	food court	Dosa Tawa – Gas	1800 x 800 x 850			2	po#152/23- 24
100	kitchen	Single Range Indian Burner	750 x 750 x 850			1	po#152/23- 24

Annexure 6 , Kitchen Equipments

S No	Area	Description of items	Overall size/ capacity	U/s* Under shelves	OHS** Overhe ad shelves	Qty	Remarks
101	kitchen	Plateform trolley	900 x 600			1	po#152/23-24
102	food court	Conveyor toaster purchased in November 2023;				1	EF#5642
103	Exhaust system for Live counter	SS 304 Grade 20 SWG Box Type Exhaust Hood with Baffle Type Filters	5000 X 1200 X 500 mm Ht			1	po#104/24-25
104	Exhaust system for Live counter	Dry Scrubber of Industrial grade electrostatic air cleaner for collection of dry and wet particulates like dust, oil mist, grease cooking fumes etc., as per the Specifications. Operating Voltage: 220V,50 Hz Ionizing Voltage: 12.5 to 13 KVDC Collector Cell Voltage: 6 to 6.5 KVDC Power Consumption: Not more than 50W per cell, draining the oil, Model : 7500 B Without UV	Model : 7500 B Without UV			1	po#104/24-25
105	Exhaust system for Live counter	Blower Motor of 4500 CFM for above Dry Scrubber Exhaust System	Cap: 3 HP / 960 RPM			1	po#104/24-25
106	Exhaust system for Live counter	GI Volume Control Damper	Standard			4	po#104/24-25
107	kitchen	45 kw Gas Modal Steam Boiler; (Non I B R Boiler 0.9 KG Pressure) Outer & Inner 6 mm, MS Sheet 2" & 3" TATA 'C' Class Pipe 6" Top pipe 10mm Flange Set,Top & Bottom MS Bolt & Nut 3mm Gasket, MS Colour & Angle Stand 0.6 SS Glading Sheet Glass Wool Inculcation. (GG Set, Ball Value,Flot Value, Pressure Gauge Set.) M-4 Burnner.	45 kw			1	po#122/24-25